

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF SUBSTANCE/PREPARATION & COMPANY.

PRODUCT NAME: **epsom zout**

PRODUCT CODE: **70277**

SUPPLIER

SoapQueen, Veilingdreef 20, 4614RX Bergen op Zoom - tel: 0164-254900 - info@soapqueen.nl

2. COMPOSITION / INFORMATION ON INGREDIENTS.

DEFINITION/COMPOSITION: Magnesium sulphate, heptahydrate of chemical formula $MgSO_4 \cdot 7H_2O$

EINECS No: CAS No: 10034-99-8

Status: Chemical Additives: None

3. HAZARDS IDENTIFICATION:

Not hazardous in normal industrial use

4. FIRST-AID MEASURES:

INHALATION: Remove from exposure site to fresh air. Keep at rest. Give drinks if desired

EYE CONTACT: Rinse immediately with plenty of water for at least 15 mins. Contact a doctor if symptoms persist.

SKIN CONTACT: Remove contaminated clothes. Wash thoroughly with soap & water, flush with plenty of water. If irritation persists, seek medical advice.

INGESTION: Rinse mouth out with water. Seek medical advice **immediately**.

OTHER: When assessing action take Risk & Safety Phrases into account (Section 15)

5. FIRE FIGHTING MEASURES.

EXTINGUISHING MEDIA Use CO₂, Dry Powder or Foam type Extinguishers, spraying

RECOMMENDED: extinguishing media to base of flames. Do not use direct water jet on burning material.

SPECIAL MEASURES: Avoid vapour inhalation. Keep away from sources of ignition. Do not smoke. Wear positive pressure self-contained breathing apparatus & protective clothing.

6. ACCIDENTAL RELEASE MEASURES.

PERSONAL PRECAUTIONS: Avoid inhalation & direct contact with skin & eyes. Use individual protective equipment (safety glasses, waterproof-boots, suitable protective clothing) in case of major spillages.

ENVIRONMENT PRECAUTIONS: Keep away from drains, soils, surface & groundwaters.

CLEANING UP METHODS Remove all potential ignition sources. Contain spilled material. Cover

FOR SPILLAGES: with an inert or non-combustible inorganic absorbent material, sweep up and remove to an approved disposal container. Observe state, federal & local disposal regulations.

7. HANDLING & STORAGE.

PRECAUTIONS IN HANDLING:	Apply good manufacturing practice & industrial hygiene practices, ensuring proper ventilation. Observe good personal hygiene, and do not eat, drink or smoke whilst handling.
STORAGE CONDITIONS:	Store in tightly closed original container, in a cool, dry & ventilated area away from heat sources & protected from light. Keep air contact to a minimum. See section 9.
FIRE PROTECTION:	Keep away from ignition sources & naked flames. Take precautions to avoid static discharges in working area.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION.

RESPIRATORY PROTECTION:	Avoid breathing product dust. Apply local ventilation where possible.
VENTILATION:	Ensure good ventilation of working area.
HAND PROTECTION:	Avoid all skin contact. Use chemically resistant gloves if required.
EYE PROTECTION:	Use safety glasses.
WORK/HYGIENE PRACTICES:	Wash hands with soap & water after handling.

9. PHYSICAL & CHEMICAL PROPERTIES.

APPEARANCE:	Colourless to white, crystalline powder
ODOUR:	Essentially odourless
MAGNESIUM SULPHATE:	99.0% min
LOSS ON DRYING:	48.0 – 52.0%

10. STABILITY & REACTIVITY.

REACTIVITY:	It presents no significant reactivity hazards, by itself or in contact with water.
DECOMPOSITION:	At very high temperatures, magnesium oxide, sulphur dioxide and sulphur trioxide may be generated.

11. TOXICOLOGICAL INFORMATION.

Product may cause mild irritation to eyes.

12. ECOLOGICAL INFORMATION.

BIODEGRADABILITY:	Not readily biodegradable.
PRECAUTIONS:	Prevent surface contamination of soil, ground & surface water.

13. DISPOSAL CONSIDERATIONS.

Avoid disposing to drainage systems and into the environment. Seek expert advice.

14. TRANSPORT REGULATIONS.

Road (ADR/RID):	n/a
Air (IATA/ICAO):	n/a
SEA (IMDG):	n/a
CHIP:	See section 15

15. REGULATORY INFORMATION.

HAZARDS:	n/a
SYMBOLS:	n/a
RISK PHRASES:	n/a
SAFETY PHRASES:	n/a

16. OTHER INFORMATION.

Cosmetics Directive 7th Amendment: Not restricted

PACKAGING:

Type	Suitability
Glass	Yes
Lacquer lined steel/tin	Yes
Aluminium	Yes
HPPE	Yes
F/HDPE	Yes
Other plastic	Yes

SHELF LIFE

When stored within advised conditions, re-test after 12 months then at 6 monthly intervals up to a maximum life of 36 months.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.